

☐ 1: NP_000537. Reports tumor protein p53...[gi:8400738]

BLink, Conserved Domains, Links

Comment Features Sequence

A

```
LOCUS       NP_000537                393 aa            linear   PRI 31-OCT-2000
DEFINITION  tumor protein p53 [Homo sapiens].
ACCESSION   NP_000537
VERSION     NP_000537.2  GI:8400738
DBSOURCE    REFSEQ: accession NM_000546.2
KEYWORDS    .
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (sites)
  AUTHORS   Radhakrishnan,S.K. and Gartel,A.L.
  TITLE     CDK9 phosphorylates p53 on serine residues 33, 315 and 392
  JOURNAL   Cell Cycle 5 (5), 519-521 (2006)
    PUBMED  16552184
REFERENCE   2  (sites)
  AUTHORS   Yeh,P.Y., Chuang,S.E., Yeh,K.H., Song,Y.C., Chang,L.L. and
            Cheng,A.L.
  TITLE     Phosphorylation of p53 on Thr55 by ERK2 is necessary for
            doxorubicin-induced p53 activation and cell death
  JOURNAL   Oncogene 23 (20), 3580-3588 (2004)
    PUBMED  15116093
REFERENCE   3  (sites)
  AUTHORS   Wang,Y.H., Tsay,Y.G., Tan,B.C., Lo,W.Y. and Lee,S.C.
  TITLE     Identification and characterization of a novel p300-mediated p53
            acetylation site, lysine 305
  JOURNAL   J. Biol. Chem. 278 (28), 25568-25576 (2003)
    PUBMED  12724314
REFERENCE   4  (sites)
  AUTHORS   Uhle,S., Medalia,O., Waldron,R., Dumdey,R., Henklein,P.,
            Bech-Otschir,D., Huang,X., Berse,M., Sperling,J., Schade,R. and
            Dubiel,W.
  TITLE     Protein kinase CK2 and protein kinase D are associated with the
            COP9 signalosome
  JOURNAL   EMBO J. 22 (6), 1302-1312 (2003)
    PUBMED  12628923
REFERENCE   5  (sites)
  AUTHORS   Li,M., Luo,J., Brooks,C.L. and Gu,W.
  TITLE     Acetylation of p53 inhibits its ubiquitination by Mdm2
  JOURNAL   J. Biol. Chem. 277 (52), 50607-50611 (2002)
    PUBMED  12421820
REFERENCE   6  (sites)
```

AUTHORS Xie,S., Wu,H., Wang,Q., Kunicki,J., Thomas,R.O., Hollingsworth,R.E., Cogswell,J. and Dai,W.
TITLE Genotoxic stress-induced activation of Plk3 is partly mediated by Chk2
JOURNAL Cell Cycle 1 (6), 424-429 (2002)
PUBMED 12548019
REFERENCE 7 (sites)
AUTHORS Bahassi el,M., Conn,C.W., Myer,D.L., Hennigan,R.F., McGowan,C.H., Sanchez,Y. and Stambrook,P.J.
TITLE Mammalian Polo-like kinase 3 (Plk3) is a multifunctional protein involved in stress response pathways
JOURNAL Oncogene 21 (43), 6633-6640 (2002)
PUBMED 12242661
REFERENCE 8 (sites)
AUTHORS Kim,S.J., Hwang,S.G., Shin,D.Y., Kang,S.S. and Chun,J.S.
TITLE p38 kinase regulates nitric oxide-induced apoptosis of articular chondrocytes by accumulating p53 via NFkappa B-dependent transcription and stabilization by serine 15 phosphorylation
JOURNAL J. Biol. Chem. 277 (36), 33501-33508 (2002)
PUBMED 12091386
REFERENCE 9 (sites)
AUTHORS Jabbur,J.R. and Zhang,W.
TITLE p53 Antiproliferative function is enhanced by aspartate substitution at threonine 18 and serine 20
JOURNAL Cancer Biol. Ther. 1 (3), 277-283 (2002)
PUBMED 12432277
REFERENCE 10 (sites)
AUTHORS Saito,S., Goodarzi,A.A., Higashimoto,Y., Noda,Y , Lees-Miller,S.P., Appella,E. and Anderson,C.W
TITLE ATM mediates phosphorylation at multiple p53 sites, including Ser(46), in response to ionizing radiation
JOURNAL J. Biol. Chem. 277 (15), 12491-12494 (2002)
PUBMED 11875057
REFERENCE 11 (sites)
AUTHORS Zhang,J., Krishnamurthy,P.K. and Johnson,G.V.
TITLE Cdk5 phosphorylates p53 and regulates its activity
JOURNAL J. Neurochem. 81 (2), 307-313 (2002)
PUBMED 12064478
REFERENCE 12 (sites)
AUTHORS Barcia,R., Lopez-Borges,S., Vega,F.M and Lazo,P.A.
TITLE Kinetic properties of p53 phosphorylation by the human vaccinia-related kinase 1
JOURNAL Arch. Biochem. Biophys. 399 (1), 1-5 (2002)
PUBMED 11883897
REFERENCE 13 (sites)
AUTHORS D'Orazi,G., Cecchinelli,B., Bruno,T., Manni,I., Higashimoto,Y., Saito,S., Gostissa,M., Coen,S., Marchetti,A., Del Sal,G., Piaggio,G., Fanciulli,M., Appella,E. and Soddu,S.
TITLE Homeodomain-interacting protein kinase-2 phosphorylates p53 at Ser 46 and mediates apoptosis
JOURNAL Nat. Cell Biol. 4 (1), 11-19 (2002)
PUBMED 11780126
REFERENCE 14 (sites)
AUTHORS Xie,S., Wu,H., Wang,Q., Cogswell,J.P., Husain,I., Conn,C., Stambrook,P., Jhanwar-Uniyal,M. and Dai,W.
TITLE Plk3 functionally links DNA damage to cell cycle arrest and apoptosis at least in part via the p53 pathway
JOURNAL J. Biol. Chem. 276 (46), 43305-43312 (2001)
PUBMED 11551930
REFERENCE 15 (sites)

AUTHORS Vaziri,H., Dessain,S.K., Ng Eaton,E., Imai,S.I., Frye,R.A., Pandita,T.K., Guarente,L. and Weinberg,R.A.
TITLE hSIR2(SIRT1) functions as an NAD-dependent p53 deacetylase
JOURNAL Cell 107 (2), 149-159 (2001)
PUBMED 11672523
REFERENCE 16 (sites)
AUTHORS Latonen,L., Taya,Y. and Laiho,M.
TITLE UV-radiation induces dose-dependent regulation of p53 response and modulates p53-HDM2 interaction in human fibroblasts
JOURNAL Oncogene 20 (46), 6784-6793 (2001)
PUBMED 11709713
REMARK Erratum:[Oncogene 2001 Dec 6;20(56):8165]
REFERENCE 17 (sites)
AUTHORS Yeh,P.Y., Chuang,S.E., Yeh,K.H., Song,Y.C. and Cheng,A.L.
TITLE Nuclear extracellular signal-regulated kinase 2 phosphorylates p53 at Thr55 in response to doxorubicin
JOURNAL Biochem. Biophys. Res. Commun. 284 (4), 880-886 (2001)
PUBMED 11409876
REFERENCE 18 (sites)
AUTHORS Kwek,S.S., Derry,J., Tyner,A.L., Shen,Z. and Gudkov,A.V.
TITLE Functional analysis and intracellular localization of p53 modified by SUMO-1
JOURNAL Oncogene 20 (20), 2587-2599 (2001)
PUBMED 11420669
REFERENCE 19 (sites)
AUTHORS Buschmann,T., Potapova,O., Bar-Shira,A., Ivanov,V.N., Fuchs,S.Y., Henderson,S , Fried,V.A., Minamoto,T., Alarcon-Vargas,D., Pincus,M.R., Gaarde,W.A., Holbrook,N.J., Shiloh,Y. and Ronai,Z.
TITLE Jun NH2-terminal kinase phosphorylation of p53 on Thr-81 is important for p53 stabilization and transcriptional activities in response to stress
JOURNAL Mol. Cell. Biol. 21 (8), 2743-2754 (2001)
PUBMED 11283254
REFERENCE 20 (sites)
AUTHORS Turenne,G.A. and Price,B.D.
TITLE Glycogen synthase kinase3 beta phosphorylates serine 33 of p53 and activates p53's transcriptional activity
JOURNAL BMC Cell Biol. 2, 12 (2001)
PUBMED 11483158
REFERENCE 21 (sites)
AUTHORS Nakamura,S., Roth,J.A. and Mukhopadhyay,T.
TITLE Multiple lysine mutations in the C-terminal domain of p53 interfere with MDM2-dependent protein degradation and ubiquitination
JOURNAL Mol. Cell. Biol. 20 (24), 9391-9398 (2000)
PUBMED 11094089
REFERENCE 22 (sites)
AUTHORS Rodriguez,M.S., Desterro,J.M., Lain,S., Lane,D.P. and Hay,R.T.
TITLE Multiple C-terminal lysine residues target p53 for ubiquitin-proteasome-mediated degradation
JOURNAL Mol. Cell. Biol. 20 (22), 8458-8467 (2000)
PUBMED 11046142
REFERENCE 23 (sites)
AUTHORS Lopez-Borges,S. and Lazo,P.A.
TITLE The human vaccinia-related kinase 1 (VRK1) phosphorylates threonine-18 within the mdm-2 binding site of the p53 tumour suppressor protein
JOURNAL Oncogene 19 (32), 3656-3664 (2000)
PUBMED 10951572
REFERENCE 24 (sites)
AUTHORS Luciani,M.G., Hutchins,J.R., Zheleva,D. and Hupp,T.R.

TITLE The C-terminal regulatory domain of p53 contains a functional docking site for cyclin A
JOURNAL J. Mol. Biol. 300 (3), 503-518 (2000)
PUBMED 10884347
REFERENCE 25 (sites)
AUTHORS Sayed,M., Kim,S.O., Salh,B.S., Issinger,O.G. and Pelech,S.L.
TITLE Stress-induced activation of protein kinase CK2 by direct interaction with p38 mitogen-activated protein kinase
JOURNAL J. Biol. Chem. 275 (22), 16569-16573 (2000)
PUBMED 10747897
REFERENCE 26 (sites)
AUTHORS Shieh,S.Y., Ahn,J., Tamai,K., Taya,Y. and Prives,C.
TITLE The human homologs of checkpoint kinases Chk1 and Cds1 (Chk2) phosphorylate p53 at multiple DNA damage-inducible sites
JOURNAL Genes Dev. 14 (3), 289-300 (2000)
PUBMED 10673501
REMARK Erratum:[Genes Dev 2000 Mar 15;14(6):750]
REFERENCE 27 (sites)
AUTHORS Li,L., Ljungman,M. and Dixon,J.E.
TITLE The human Cdc14 phosphatases interact with and dephosphorylate the tumor suppressor protein p53
JOURNAL J. Biol. Chem. 275 (4), 2410-2414 (2000)
PUBMED 10644693
REFERENCE 28 (sites)
AUTHORS Dumaz,N., Milne,D.M. and Meek,D.W.
TITLE Protein kinase CK1 is a p53-threonine 18 kinase which requires prior phosphorylation of serine 15
JOURNAL FEBS Lett. 463 (3), 312-316 (1999)
PUBMED 10606744
REFERENCE 29 (sites)
AUTHORS Cuddihy,A.R., Wong,A.H., Tam,N.W., Li,S. and Koromilas,A.E.
TITLE The double-stranded RNA activated protein kinase PKR physically associates with the tumor suppressor p53 protein and phosphorylates human p53 on serine 392 in vitro
JOURNAL Oncogene 18 (17), 2690-2702 (1999)
PUBMED 10348343
REFERENCE 30 (sites)
AUTHORS Liu,L., Scolnick,D.M., Trievel,R.C., Zhang,H.B., Marmorstein,R., Halazonetis,T.D. and Berger,S.L.
TITLE p53 sites acetylated in vitro by PCAF and p300 are acetylated in vivo in response to DNA damage
JOURNAL Mol. Cell. Biol. 19 (2), 1202-1209 (1999)
PUBMED 9891054
REFERENCE 31 (residues 1 to 393)
AUTHORS Tortora,V., Bontempo,P., Verdicchio,M., Armetta,I., Abbondanza,C., Schiavone,E.M., Nola,E., Puca,G.A. and Molinari,A.M.
TITLE Regulation of p53 function in normal and malignant cells
JOURNAL Adv. Exp. Med. Biol. 472, 89-100 (1999)
PUBMED 10736619
REFERENCE 32 (sites)
AUTHORS Giaccia,A.J. and Kastan,M.B.
TITLE The complexity of p53 modulation: emerging patterns from divergent signals
JOURNAL Genes Dev. 12 (19), 2973-2983 (1998)
PUBMED 9765199
REFERENCE 33 (sites)
AUTHORS Sakaguchi,K., Herrera,J.E., Saito,S., Miki,T., Bustin,M., Vassilev,A., Anderson,C.W. and Appella,E.
TITLE DNA damage activates p53 through a phosphorylation-acetylation cascade

JOURNAL Genes Dev. 12 (18), 2831-2841 (1998)
PUBMED 9744860
REFERENCE 34 (sites)
AUTHORS Youmell,M., Park,S.J., Basu,S. and Price,B.D.
TITLE Regulation of the p53 protein by protein kinase C alpha and protein kinase C zeta
JOURNAL Biochem. Biophys. Res. Commun. 245 (2), 514-518 (1998)
PUBMED 9571186
REFERENCE 35 (sites)
AUTHORS Okorokov,A.L., Ponchel,F. and Milner,J.
TITLE Induced N- and C-terminal cleavage of p53: a core fragment of p53, generated by interaction with damaged DNA, promotes cleavage of the N-terminus of full-length p53, whereas *ss*DNA induces C-terminal cleavage of p53
JOURNAL EMBO J. 16 (19), 6008-6017 (1997)
PUBMED 9312058
REFERENCE 36 (sites)
AUTHORS Gu,W. and Roeder,R.G.
TITLE Activation of p53 sequence-specific DNA binding by acetylation of the p53 C-terminal domain
JOURNAL Cell 90 (4), 595-606 (1997)
PUBMED 9288740
REFERENCE 37 (sites)
AUTHORS Delphin,C., Huang,K.F., Scotto,C., Chapel,A., Vincon,M., Chambaz,E., Garin,J. and Baudier,J.
TITLE The in vitro phosphorylation of p53 by calcium-dependent protein kinase C--characterization of a protein-kinase-C-binding site on p53
JOURNAL Eur. J. Biochem. 245 (3), 684-692 (1997)
PUBMED 9183006
REFERENCE 38 (residues 1 to 393)
AUTHORS Allalunis-Turner MJ, Barron GM, Day RS 3d, Dobler KD and Mirzayans R.
TITLE Isolation of two cell lines from a human malignant glioma specimen differing in sensitivity to radiation and chemotherapeutic drugs
JOURNAL Radiat. Res. 134 (3), 349-354 (1993)
PUBMED 8316628
REFERENCE 39 (sites)
AUTHORS Baudier,J., Delphin,C., Grunwald,D., Khochbin,S. and Lawrence,J.J.
TITLE Characterization of the tumor suppressor protein p53 as a protein kinase C substrate and a S100b-binding protein
JOURNAL Proc. Natl. Acad. Sci. U.S.A. 89 (23), 11627-11631 (1992)
PUBMED 1454855
REFERENCE 40 (residues 1 to 393) B
AUTHORS Futreal PA, Barrett JC and Wiseman RW.
TITLE An Alu polymorphism intragenic to the TP53 gene
JOURNAL Nucleic Acids Res. 19 (24), 6977 (1991)
PUBMED 1762941
REFERENCE 41 (residues 1 to 393) B
AUTHORS Farrell PJ, Allan GJ, Shanahan F, Vousden KH and Crook T.
TITLE p53 is frequently mutated in Burkitt's lymphoma cell lines
JOURNAL EMBO J. 10 (10), 2879-2887 (1991)
PUBMED 1915267
REFERENCE 42 (residues 1 to 393) B
AUTHORS Kern,S.E., Kinzler,K.W., Bruskin,A., Jarosz,D., Friedman,P., Prives,C. and Vogelstein,B.
TITLE Identification of p53 as a sequence-specific DNA-binding protein
JOURNAL Science 252 (5013), 1708-1711 (1991)
PUBMED 2047879
REFERENCE 43 (residues 1 to 393)

AUTHORS Buchman,V.L., Chumakov,P.M., Ninkina,N.N., Samarina,O.P. and Georgiev,G.P.
TITLE A variation in the structure of the protein-coding region of the human p53 gene
JOURNAL Gene 70 (2), 245-252 (1988)
PUBMED 2905688
REFERENCE 44 (residues 1 to 393) B
AUTHORS Harris N, Brill E, Shohat O, Prokocimer M, Wolf D, Arai N and Rotter V.
TITLE Molecular basis for heterogeneity of the human p53 protein
JOURNAL Mol. Cell. Biol. 6 (12), 4650-4656 (1986)
PUBMED 3025664
REFERENCE 45 (residues 1 to 393) B
AUTHORS Lamb,P. and Crawford,L.
TITLE Characterization of the human p53 gene
JOURNAL Mol. Cell. Biol. 6 (5), 1379-1385 (1986)
PUBMED 2946935
REFERENCE 46 (residues 1 to 393) B
AUTHORS McBride OW, Merry D and Givol D.
TITLE The gene for human p53 cellular tumor antigen is located on chromosome 17 short arm (17p13)
JOURNAL Proc. Natl. Acad. Sci. U.S.A. 83 (1), 130-134 (1986)
PUBMED 3001719
REFERENCE 47 (residues 1 to 393) B
AUTHORS Harlow,E., Williamson,N.M., Ralston,R., Helfman,D.M. and Adams,T.E.
TITLE Molecular cloning and in vitro expression of a cDNA clone for human cellular tumor antigen p53
JOURNAL Mol. Cell. Biol. 5 (7), 1601-1610 (1985)
PUBMED 3894933
REFERENCE 48 (residues 1 to 393) B
AUTHORS Zakut-Houri,R., Bienz-Tadmor,B., Givol,D. and Oren,M.
TITLE Human p53 cellular tumor antigen: cDNA sequence and expression in COS cells
JOURNAL EMBO J. 4 (5), 1251-1255 (1985)
PUBMED 4006916
REFERENCE 49 (residues 1 to 393) B
AUTHORS Matlashewski,G., Lamb,P., Pim,D., Peacock,J., Crawford,L. and Benchimol,S.
TITLE Isolation and characterization of a human p53 cDNA clone: expression of the human p53 gene
JOURNAL EMBO J. 3 (13), 3257-3262 (1984)
PUBMED 6396087
REFERENCE 50 (sites)
AUTHORS Zhukov-Verezhnikov,N.N., Anisimov,P.I., Goncharova,N.S., Bochko,G.M. and Karaseva,Z.N.
TITLE [Study of the heterogenetic antigens in vaccinal preparations of V. cholerae]
JOURNAL Biull Eksp Biol Med 82 (8), 961-962 (1976)
PUBMED 1088347
COMMENT REVIEWED REFSEQ: This record has been curated by NCBI staff. The reference sequence was derived from M13121.1, M22881.1, U94788.1 and X02469.1.
On Jun 9, 2000 this sequence version replaced gi:4507637.
Summary: Tumor protein p53, a nuclear protein, plays an essential role in the regulation of cell cycle, specifically in the transition from G0 to G1. It is found in very low levels in normal cells, however, in a variety of transformed cell lines, it is expressed in high amounts, and believed to contribute to transformation and malignancy. p53 is a DNA-binding protein containing DNA-binding, oligomerization and transcription

activation domains. It is postulated to bind as a tetramer to a p53-binding site and activate expression of downstream genes that inhibit growth and/or invasion, and thus function as a tumor suppressor. Mutants of p53 that frequently occur in a number of different human cancers fail to bind the consensus DNA binding site, and hence cause the loss of tumor suppressor activity. Alterations of the TP53 gene occur not only as somatic mutations in human malignancies, but also as germline mutations in some cancer-prone families with Li-Fraumeni syndrome.

FEATURES Location/Qualifiers

source 1..393
/organism="Homo sapiens"
/db_xref="taxon:9606"
/chromosome="17"
/map="17p13.1"

Protein 1..393
/product="tumor protein p53"
/calculated_mol_wt=43581

Site 6
/site_type="phosphorylation"
/experiment="experimental evidence, no additional details recorded"
/citation=[32]
/db_xref="HPRD:02739"

Region 7..393
/region_name="P53"
/note="P53"
/db_xref="CDD:pfam00870"

Region 7..393
/region_name="P53"
/note="P53; pfam00870"
/db_xref="CDD:40947"

Site 9
/site_type="phosphorylation"
/experiment="experimental evidence, no additional details recorded"
/citation=[10]
/citation=[32]
/db_xref="HPRD:02739"

Site 9
/site_type="phosphorylation"
/experiment="experimental evidence, no additional details recorded"
/citation=[10]
/citation=[32]
/db_xref="HPRD:06347"

Site 15
/site_type="phosphorylation"
/experiment="experimental evidence, no additional details recorded"
/citation=[8]
/db_xref="HPRD:01496"

Site 15
/site_type="phosphorylation"
/experiment="experimental evidence, no additional details recorded"
/citation=[10]
/citation=[14]
/citation=[16]
/citation=[26]

/citation=[32]
/db_xref="HPRD:06347"
Site 15
/site_type="phosphorylation"
/experiment="experimental evidence, no additional details recorded"
/citation=[14]
/citation=[16]
/citation=[26]
/citation=[32]
/db_xref="HPRD:04356"
Site 15
/site_type="phosphorylation"
/experiment="experimental evidence, no additional details recorded"
/citation=[14]
/citation=[16]
/citation=[26]
/citation=[32]
/db_xref="HPRD:02941"
Site 15
/site_type="phosphorylation"
/experiment="experimental evidence, no additional details recorded"
/citation=[14]
/citation=[16]
/citation=[26]
/citation=[32]
/db_xref="HPRD:08369"
Site 18
/site_type="modified"
/experiment="experimental evidence, no additional details recorded"
/note="proteolytic cleavage site"
/citation=[9]
/db_xref="HPRD:00253"
Site 18
/site_type="phosphorylation"
/experiment="experimental evidence, no additional details recorded"
/citation=[12]
/citation=[16]
/citation=[23]
/citation=[25]
/db_xref="HPRD:03701"
Site 18
/site_type="phosphorylation"
/experiment="experimental evidence, no additional details recorded"
/citation=[28]
/db_xref="HPRD:02920"
Site 18
/site_type="phosphorylation"
/experiment="experimental evidence, no additional details recorded"
/citation=[12]
/citation=[16]
/citation=[23]
/citation=[25]
/db_xref="HPRD:00277"

```
     Site            18
                     /site_type="phosphorylation"
                     /experiment="experimental evidence, no additional details
                     recorded"
                     /citation=[12]
                     /citation=[16]
                     /citation=[23]
                     /citation=[25]
                     /db_xref="HPRD:00278"
     Site            18
                     /site_type="phosphorylation"
                     /experiment="experimental evidence, no additional details
                     recorded"
                     /citation=[12]
                     /citation=[14]
                     /citation=[16]
                     /citation=[23]
                     /citation=[25]
                     /citation=[26]
                     /db_xref="HPRD:08369"
     Site            18
                     /site_type="phosphorylation"
                     /experiment="experimental evidence, no additional details
                     recorded"
                     /citation=[12]
                     /citation=[16]
                     /citation=[23]
                     /citation=[25]
                     /db_xref="HPRD:02941"
     Site            20
                     /site_type="modified"
                     /experiment="experimental evidence, no additional details
                     recorded"
                     /note="proteolytic cleavage site"
                     /citation=[9]
                     /db_xref="HPRD:00253"
     Site            20
                     /site_type="phosphorylation"
                     /experiment="experimental evidence, no additional details
                     recorded"
                     /citation=[14]
                     /citation=[16]
                     /citation=[26]
                     /db_xref="HPRD:08369"
     Site            20
                     /site_type="phosphorylation"
                     /experiment="experimental evidence, no additional details
                     recorded"
                     /citation=[10]
                     /citation=[14]
                     /citation=[16]
                     /citation=[26]
                     /db_xref="HPRD:06347"
     Site            20
                     /site_type="phosphorylation"
                     /experiment="experimental evidence, no additional details
                     recorded"
                     /citation=[14]
                     /citation=[16]
                     /citation=[26]
```

```
                /db_xref="HPRD:04356"
     Site       20
                /site_type="phosphorylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[6]
                /citation=[7]
                /citation=[14]
                /citation=[16]
                /citation=[26]
                /db_xref="HPRD:04222"
     Site       20
                /site_type="phosphorylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[14]
                /citation=[16]
                /citation=[26]
                /db_xref="HPRD:02941"
     Site       23
                /site_type="modified"
                /experiment="experimental evidence, no additional details
                recorded"
                /note="proteolytic cleavage site"
                /citation=[35]
     Site       33
                /site_type="phosphorylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[16]
                /db_xref="HPRD:02941"
     Site       33
                /site_type="phosphorylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[16]
                /db_xref="HPRD:05913"
     Site       33
                /site_type="phosphorylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[11]
                /citation=[20]
                /db_xref="HPRD:00449"
     Site       33
                /site_type="phosphorylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[1]
                /db_xref="HPRD:16016"
     Site       33
                /site_type="phosphorylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[16]
                /db_xref="HPRD:06347"
     Site       33
                /site_type="phosphorylation"
                /experiment="experimental evidence, no additional details
                recorded"
```

```
                /citation=[11]
                /citation=[20]
                /db_xref="HPRD:05418"
     Site       37
                /site_type="phosphorylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[16]
                /citation=[26]
                /db_xref="HPRD:02941"
     Site       37
                /site_type="phosphorylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[16]
                /citation=[26]
                /db_xref="HPRD:08369"
     Site       37
                /site_type="phosphorylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[16]
                /citation=[26]
                /db_xref="HPRD:06347"
     Site       37
                /site_type="phosphorylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[16]
                /citation=[26]
                /db_xref="HPRD:04356"
     Site       46
                /site_type="phosphorylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[10]
                /citation=[13]
                /db_xref="HPRD:06039"
     Site       46
                /site_type="phosphorylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[10]
                /citation=[13]
                /db_xref="HPRD:06347"
     Site       55
                /site_type="phosphorylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[2]
                /citation=[17]
                /db_xref="HPRD:01496"
     Region     72
                /region_name="polymorphic variant"
                /note="A single base change (g or c at nt 466) gives rise
                to two variants with either R (more frequent) or P at aa
                position 72; this aa change is responsible for the
                observed difference in electrophoretic mobility between
                the two variants."
     Site       81
```

```
                /site_type="phosphorylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[19]
                /db_xref="HPRD:03100"
     Site       155
                /site_type="phosphorylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[4]
                /db_xref="HPRD:00277"
     Site       305
                /site_type="acetylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[3]
                /db_xref="HPRD:04078"
     Region     312..323
                /region_name="Nuclear localization signal"
     Site       315
                /site_type="modified"
                /experiment="experimental evidence, no additional details
                recorded"
                /note="dephosphorylation site"
                /citation=[27]
                /db_xref="HPRD:04614"
     Site       315
                /site_type="modified"
                /experiment="experimental evidence, no additional details
                recorded"
                /note="dephosphorylation site"
                /citation=[27]
                /db_xref="HPRD:04615"
     Site       315
                /site_type="phosphorylation"
     Site       315
                /site_type="phosphorylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[1]
                /db_xref="HPRD:16016"
     Site       315
                /site_type="phosphorylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[11]
                /citation=[24]
                /db_xref="HPRD:00449"
     Site       315
                /site_type="phosphorylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[11]
                /citation=[24]
                /db_xref="HPRD:00310"
     Site       320
                /site_type="acetylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[30]
```

```
                /citation=[33]
                /db_xref="HPRD:06780"
     Site       351
                /site_type="modified"
                /experiment="experimental evidence, no additional details
                recorded"
                /note="ubiquitination site"
                /citation=[22]
     Site       357
                /site_type="modified"
                /experiment="experimental evidence, no additional details
                recorded"
                /note="ubiquitination site"
                /citation=[22]
     Site       366
                /site_type="phosphorylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[37]
     Site       370
                /site_type="acetylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[36]
                /db_xref="HPRD:04078"
     Site       370
                /site_type="modified"
                /experiment="experimental evidence, no additional details
                recorded"
                /note="ubiquitination site"
                /citation=[5]
                /db_xref="HPRD:01272"
     Site       371
                /site_type="phosphorylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[34]
                /db_xref="HPRD:01498"
     Site       372
                /site_type="acetylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[36]
                /db_xref="HPRD:04078"
     Site       372
                /site_type="modified"
                /experiment="experimental evidence, no additional details
                recorded"
                /note="ubiquitination site"
                /citation=[5]
                /db_xref="HPRD:01272"
     Site       373
                /site_type="acetylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[36]
                /db_xref="HPRD:04078"
     Site       373
                /site_type="modified"
                /experiment="experimental evidence, no additional details
```

```
                recorded"
                /note="ubiquitination site"
                /citation=[21]
     Site       378
                /site_type="phosphorylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[39]
                /db_xref="HPRD:01498"
     Site       381
                /site_type="acetylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[36]
                /db_xref="HPRD:04078"
     Site       381
                /site_type="modified"
                /experiment="experimental evidence, no additional details
                recorded"
                /note="ubiquitination site"
                /citation=[5]
                /db_xref="HPRD:01272"
     Site       382
                /site_type="acetylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[33]
                /db_xref="HPRD:04078"
     Site       382
                /site_type="modified"
                /experiment="experimental evidence, no additional details
                recorded"
                /note="deacylation site"
                /citation=[15]
                /db_xref="HPRD:08381"
     Site       382
                /site_type="modified"
                /experiment="experimental evidence, no additional details
                recorded"
                /note="ubiquitination site"
                /citation=[5]
                /db_xref="HPRD:01272"
     Site       386
                /site_type="modified"
                /experiment="experimental evidence, no additional details
                recorded"
                /note="ubiquitination site"
                /citation=[22]
     Site       386
                /site_type="modified"
                /experiment="experimental evidence, no additional details
                recorded"
                /note="sumoylation site"
                /citation=[18]
                /db_xref="HPRD:03554"
     Site       392
                /site_type="phosphorylation"
                /experiment="experimental evidence, no additional details
                recorded"
                /citation=[24]
```

```
                     /citation=[25]
                     /citation=[29]
                     /db_xref="HPRD:01468"
     Site            392
                     /site_type="phosphorylation"
                     /experiment="experimental evidence, no additional details
                     recorded"
                     /citation=[24]
                     /citation=[25]
                     /citation=[29]
                     /db_xref="HPRD.00277"
     Site            392
                     /site_type="phosphorylation"
                     /experiment="experimental evidence, no additional details
                     recorded"
                     /citation=[24]
                     /citation=[25]
                     /citation=[29]
                     /db_xref="HPRD:00310"
     Site            392
                     /site_type="phosphorylation"
                     /experiment="experimental evidence, no additional details
                     recorded"
                     /citation=[1]
                     /db_xref="HPRD:16016"
     Site            392
                     /site_type="phosphorylation"
                     /experiment="experimental evidence, no additional details
                     recorded"
                     /citation=[24]
                     /citation=[25]
                     /citation=[29]
                     /citation=[50]
                     /db_xref="HPRD:02619"
     CDS             1..393
                     /gene="TP53"
                     /coded_by="NM_000546.2:252..1433"
                     /db_xref="GeneID:7157"
                     /db_xref="MIM:191170"
ORIGIN
        1 meepqsdpsv epplsqetfs dlwkllpenn vlsplpsqam ddlmlspddi eqwftedpgp
       61 deaprmpeaa prvapapaap tpaapapaps wplsssvpsq ktyqgsygfr lgflhsgtak
      121 svtctyspal nkmfcqlakt cpvqlwvdst pppgtrvram aiykqsqhmt evvrrcphhe
      181 rcsdsdglap pqhlirvegn lrveylddrn tfrhsvvvpy eppevgsdct tihynymcns
      241 scmggmnrrp iltiitleds sgnllgrnsf evrvcacpgr drrteeenlr kkgephhelp
      301 pgstkralpn ntssspqpkk kpldgeyftl qirgrerfem frelnealel kdaqagkepg
      361 gsrahsshlk skkgqstsrh kklmfktegp dsd
//
```

C